
STEBRIČASTA NOGA - Kovinske cevi Ø 60, 70, 89 in 102 mm, debeline 1,5 in 2 mm. Kovinsko podnožje velikosti Ø 350, 420, 510 in 590 mm, debeline 5 mm. Kovinska pritrdilna plošča pod delovno površino velikosti 200 x 200 in 280 x 280 mm, debeline 4 mm. Barvano z epoksi praškastim premazom.

DELOVNE POVRŠINE - Izdelane iz melamina, odpornega na madeže in praske, debeline 25 mm. Obodni ABS rob debeline 2 mm z zaobljenimi vogali.

KOVINSKE MIZE - Kovinska podlaga iz jekla Ø 360 mm. Kolona iz železa Ø 35 mm. Plošča iz aluminija Ø 400 in 740 mm. Prašno epoksidno barvanje.

COLUMN LEG - Metal tube Ø 60, 70, 89 and 102 mm, 1,5 and 2 mm thick. Metal base Ø 350, 420, 510 and 590 mm, 5 mm thick. Metal under-top plate 200 x 200 and 280 x 280 mm, 4 mm thick. Varnished with epoxy powder.

DESKTOPS - Made of anti-stain and scratch-resistant melamine, 25 mm thick. Perimetral ABS edge, 2 mm thickness with rounded corners.

METAL TABLES - Metal base in steel Ø 360 mm. Iron column Ø 35 mm. Top in aluminum Ø 400 and 740 mm. Epoxy powder coating.

BARVNE IZVEDBE / FINISHES

KOVINSKA KONSTRUKCIJA / METAL STRUCTURES

WH



BELA
WHITE

BL



ČRNA
BLACK

AL



ALUMINIJASTA
ALUMINIUM

MIZE / DESKTOPS

WH



BELA
WHITE

BG



BEŽ
BEIGE

OA



HRAST
OAK

DW



TEMEN OREH
DARK WALNUT

KOVINSKE MIZE / METAL TABLES

WH



BELA
WHITE

AN



ANTRACIT
ANTHRACITE

BE



MODRA
BLUE

GR



ZELEN
GREEN


CP



BAKER
COPPER


TEHNIČNI PODATKI / TECHNICAL DATAS

KONFERENČNE MIZE / MEETING AND TABLES




Ø = 800 / 1000 / 1200 mm - V / H = 740 mm

VISOKA MIZA / HIGH TABLE



Ø = 600 mm - V / H = 1050 mm

KLUBSKE MIZICE / COFFEE TABLES



Ø = 400 / 600 / 740 mm - V / H = 400 / 450 / 500 mm

STRANSKA MIZICA / SOFA TABLE



Ø = 400 mm - V / H = 560 mm

MELAMIN

Izdelan iz 100 % recikliranih lesenih delcev in ima naslednje certifikate:

FSC (Forest Stewardship Council);

PEFC (Programme for the Endorsement of Forest Certification);

CARB Phase 2 (zelo nizke emisije formaldehida < 0,09 ppm);

MELAMINE

Made with 100% recycled wood particles and certified as follows:

FSC (Forest Stewardship Council);

PEFC (Programme for the Endorsement of Forest Certification);

CARB Phase 2 certification (very low formaldehyde emission < 0.09 ppm);

ROBNI TRAK (ABS)

100 % reciklabilen zahvaljujoč sestavi brez kislin, ki ne povzroča emisij škodljivih snovi za okolje ali človeka. Certificiran FSC.

EDGE (ABS)

100% recyclable thanks to its acid-free composition, which does not produce harmful emissions for the environment or for humans. FSC certified.

BARVE ZA KOVINSKE DELE

Uporabljene barve za kovinske dele so epoksidni praškasti premazi, zato ne vsebujejo hlapnih organskih spojin (VOC).

PAINTS FOR METAL PARTS

The paints used for metal components are epoxy powder coatings, therefore free of volatile organic compounds (VOCs).